

Table B2. - Land Capability and Yields per Acre of Crops and Pasture

Stafford and King George Counties, Virginia

Yields are those that can be expected under a high level of management. They are for nonirrigated areas. Absence of a yield indicates that the soil is not suited to the crop or the crop generally is not grown on the soil.

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
Ad:						
Alluvial land, sandy and gravelly	4w	---	---	---	---	---
Alluvial wet	---	---	---	---	---	---
Ae:						
Alluvial land, wet	4w	---	---	---	---	---
Alluvial land	---	---	---	---	---	---
AfA:						
Altavista	2w	---	---	---	11.50	---
Augusta	---	---	---	---	---	---
Dogue	---	---	---	---	---	---
Wickham	---	---	---	---	---	---
AfB:						
Altavista	2e	---	---	---	11.50	---
Dogue	---	---	---	---	---	---
Wickham	---	---	---	---	---	---
AfC2:						
Altavista	3e	---	---	---	10.50	---
Wickham	---	---	---	---	---	---
AIB:						
Appling	2e	---	4.80	---	8.00	---
Caroline	---	---	---	---	---	---
Cecil	---	---	---	---	---	---
Colfax	---	---	---	---	---	---
Nason	---	---	---	---	---	---
AIC2:						
Appling	4e	70.00	4.20	---	7.00	---
Ashlar	---	---	---	---	---	---
Cecil	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
AIC2:						
Colfax	---	---	---	---	---	---
Nason	---	---	---	---	---	---
AnB:						
Appling	2s	70.00	4.80	---	8.00	---
Cecil	---	---	---	---	---	---
Cullen	---	---	---	---	---	---
AnC2:						
Appling	3s	70.00	4.50	---	8.00	---
Cecil	---	---	---	---	---	---
Cullen	---	---	---	---	---	---
ApC3:						
Appling	4e	70.00	4.20	---	7.00	---
Ashlar	---	---	---	---	---	---
Cecil	---	---	---	---	---	---
Nason	---	---	---	---	---	---
AsD:						
Ashlar	4e	---	2.00	50.00	5.00	---
Appling	---	---	---	---	---	---
Manor	---	---	---	---	---	---
AsE:						
Ashlar	6e	---	---	---	4.00	---
Manor	---	---	---	---	---	---
Watt variant	---	---	---	---	---	---
AsF:						
Ashlar	7e	---	---	---	3.00	---
Gravelly soil	---	---	---	---	---	---
Rock Outcrop	---	---	---	---	---	---
AtA:						
Atlee	2w	70.00	3.50	---	---	7.50

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
AtA:						
Bourne	---	---	---	---	---	---
Craven	---	---	---	---	---	---
AtB:						
Atlee	2e	70.00	3.50	---	---	7.50
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Craven	---	---	---	---	---	---
Au:						
Augusta	3w	---	6.00	---	---	10.00
Roanoke	---	---	---	---	---	---
Altavista	---	---	---	---	---	---
Wahee	---	---	---	---	---	---
AvB:						
Aura	2e	---	---	---	---	---
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Galestown	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
AvC2:						
Aura	3e	---	---	---	---	---
Caroline	---	---	---	---	---	---
Galestown	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
AvD2:						
Aura	3e	---	---	---	---	---
Caroline	---	---	---	---	---	---
Galestown	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---

AvE2:

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
AvE2:						
Aura	3e	---	---	---	---	---
Galestown	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
AwD:						
Aura	3e	---	---	---	---	---
Galestown	7s	---	---	---	---	---
Sassafras	4e	---	3.00	---	---	---
Caroline	---	---	---	---	---	---
AwE:						
Aura	3e	---	---	---	---	---
Galestown	7s	---	---	---	---	---
Sassafras	7e	---	---	---	---	---
Gravelly soil	---	---	---	---	---	---
BaA:						
Bertie	2w	80.00	---	---	---	---
Bladen	---	---	---	---	---	---
Fallsington	---	---	---	---	---	---
Pooler variant	---	---	---	---	---	---
Bb:						
Bibb	5w	---	---	---	---	8.00
Alluvial wet	---	---	---	---	---	---
Fresh water swamp	---	---	---	---	---	---
Iuka	---	---	---	---	---	---
Bd:						
Bladen	6w	---	---	---	---	---
Pooler variant	---	---	---	---	---	---
Bertie	---	---	---	---	---	---
Tetotum	---	---	---	---	---	---
BmA:						

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
BmA:						
Bourne	2w	---	2.50	65.00	5.60	---
Bladen	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
Tetotum	---	---	---	---	---	---
BmB:						
Bourne	2e	---	2.50	65.00	5.30	---
Caroline	---	---	---	---	---	---
Craven	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
Tetotum	---	---	---	---	---	---
BmC2:						
Bourne	3e	---	2.00	50.00	5.00	---
Bourne variant	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
BnB:						
Bourne variant	2e	---	2.50	65.00	5.30	---
Aura	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
BnC2:						
Bourne variant	3e	---	2.00	50.00	5.00	---
Aura	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
BoB:						
Bourne	2e	---	2.50	65.00	5.30	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
BoB:						
Appling	---	---	---	---	---	---
Aura	---	---	---	---	---	---
Bourne variant	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Cecil	---	---	---	---	---	---
BoC2:						
Bourne	3e	---	2.00	50.00	5.00	---
Appling	---	---	---	---	---	---
Aura	---	---	---	---	---	---
Bourne variant	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Cecil	---	---	---	---	---	---
Nason	---	---	---	---	---	---
BrD:						
Bremo	4e	---	1.90	55.00	4.70	---
Manor	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---
Zion variant	---	---	---	---	---	---
BrE:						
Bremo	7e	---	---	---	---	---
Manor	---	---	---	---	---	---
Watt variant	---	---	---	---	---	---
CaB2:						
Caroline	2e	---	2.50	---	---	8.00
Aura	---	---	---	---	---	---
Bourne	---	---	---	---	---	---
Craven	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
CaB2:						
Tetotum	---	---	---	---	---	---
CaC2:						
Caroline	3e	---	2.50	---	---	6.60
Aura	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
CaD2:						
Caroline	4e	---	1.40	---	---	5.40
Aura	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
CcC3:						
Caroline	4e	---	1.50	---	---	6.00
Bourne	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
CcD3:						
Caroline	6e	---	---	---	---	5.00
Aura	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
CdD:						
Caroline	6e	---	---	---	---	5.00
Sassafras	4e	---	3.00	---	---	---
Craven	---	---	---	---	---	---
Galestown	---	---	---	---	---	---
CdE:						
Caroline	7e	---	---	---	---	---
Sassafras	7e	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
CdE:						
Galestown	---	---	---	---	---	---
Ce:						
Cartecay	5w	80.00	---	---	---	7.00
Alluvial land, wet	---	---	---	---	---	---
Wehadkee	---	---	---	---	---	---
Altavista	---	---	---	---	---	---
CfB2:						
Cecil	2e	---	3.20	90.00	8.00	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
CfC2:						
Cecil	4e	---	2.80	75.00	7.00	---
Ashlar	---	---	---	---	---	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
CgB2:						
Cecil	2e	---	3.20	90.00	8.00	---
Cullen	---	---	---	---	---	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
ChC3:						
Cecil	4e	---	2.20	60.00	5.00	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
CIB:						
Colfax	3w	---	2.40	65.00	6.00	---
Appling	---	---	---	---	---	---
Cecil	---	---	---	---	---	---
CmB:						

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
CmB:						
Colfax variant	3w	---	2.40	65.00	6.00	---
Appling	---	---	---	---	---	---
Nason	---	---	---	---	---	---
Cn:						
Congaree	3w	80.00	---	75.00	---	---
Cartecay	---	---	---	---	---	---
Altavista	---	---	---	---	---	---
Wickham	---	---	---	---	---	---
CrA:						
Craven	2w	---	---	---	---	---
Bladen	---	---	---	---	---	---
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Tetotum	---	---	---	---	---	---
CrB:						
Craven	3e	---	---	---	---	---
Pooler variant	---	---	---	---	---	---
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Tetotum	---	---	---	---	---	---
CuB2:						
Cullen	3e	80.00	3.20	65.00	8.30	---
Cecil	---	---	---	---	---	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
CuC2:						
Cullen	4e	80.00	2.80	50.00	7.60	---
Cecil	---	---	---	---	---	---
Elioak	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
CuC2:						
Nason	---	---	---	---	---	---
CvC3:						
Cullen	4e	80.00	2.80	50.00	7.60	---
Cecil	---	---	---	---	---	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
Cw:						
Cut and fill land	---	---	---	---	---	---
DAM:						
Dam	---	---	---	---	---	---
DoA:						
Dogue	2w	80.00	3.50	80.00	---	9.50
Altavista	---	---	---	---	---	---
Augusta	---	---	---	---	---	---
Wahee	---	---	---	---	---	---
Wickham	---	---	---	---	---	---
DoB:						
Dogue	2e	80.00	3.50	70.00	---	9.50
Altavista	---	---	---	---	---	---
Turbeville	---	---	---	---	---	---
Wickham	---	---	---	---	---	---
Eb:						
Elbert variant	4w	---	2.00	---	3.50	---
Worsham	---	---	---	---	---	---
Meadowville	---	---	---	---	---	---
Orange	---	---	---	---	---	---
EIB2:						
Elioak	2e	---	3.50	80.00	10.50	---
Cullen	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
EIB2:						
Mecklenburg	---	---	---	---	---	---
Nason	---	---	---	---	---	---
EIC2:						
Elioak	3e	---	3.50	75.00	9.50	---
Cullen	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---
Nason	---	---	---	---	---	---
EmC3:						
Elioak	3e	---	3.50	75.00	9.50	---
Cullen	---	---	---	---	---	---
Manor	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---
Nason	---	---	---	---	---	---
FaB:						
Fairfax	2e	80.00	3.50	75.00	9.00	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
Fd:						
Fallsington	4w	80.00	---	---	5.00	---
Bladen	---	---	---	---	---	---
Bertie	---	---	---	---	---	---
Fs:						
Fresh water swamp	6w	---	---	---	---	---
GsD:						
Galestown	7s	---	---	---	---	---
Sassafras	4e	---	3.00	---	---	---
Caroline	---	---	---	---	---	---
GsE:						
Galestown	7s	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
GsE:						
Sassafras	7e	---	---	---	---	---
Gravelly soil	---	---	---	---	---	---
GsF:						
Galestown	7s	---	---	---	---	---
Sassafras	7e	---	---	---	---	---
Clayey soil	---	---	---	---	---	---
Gravel soil	---	---	---	---	---	---
Iu:						
Iuka	2w	80.00	---	---	---	8.00
Alluvial land, wet	---	---	---	---	---	---
Bibb	---	---	---	---	---	---
KeA:						
Kempsville	1	70.00	3.50	80.00	---	9.50
Bourne	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
KeB:						
Kempsville	2e	70.00	3.50	75.00	---	9.50
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
KfB:						
Kempsville	2e	70.00	3.50	75.00	---	9.50
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
Turbeville	---	---	---	---	---	---
KfC2:						
Kempsville	3e	70.00	3.00	70.00	---	9.00
Caroline	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
KfC2:						
Sassafras	---	---	---	---	---	---
Turbeville	---	---	---	---	---	---
KfD2:						
Kempsville	4e	70.00	2.50	50.00	---	8.00
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
Turbeville	---	---	---	---	---	---
LgA:						
Lignum	2w	---	2.00	40.00	6.00	---
Alluvial land, wet	---	---	---	---	---	---
Elbert variant	---	---	---	---	---	---
Worsham	---	---	---	---	---	---
LgB:						
Lignum	2e	---	2.50	50.00	7.00	---
Colfax	---	---	---	---	---	---
Meadowville	---	---	---	---	---	---
Orange	---	---	---	---	---	---
Worsham	---	---	---	---	---	---
MaD:						
Manor	3e	---	2.50	---	6.00	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
MaE:						
Manor	6e	---	---	---	---	---
Ashlar	---	---	---	---	---	---
Watt variant	---	---	---	---	---	---
MdB:						
Marr	2e	---	3.50	---	10.50	---
Caroline	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
MdB:						
Westphalia	---	---	---	---	---	---
MdC2:						
Marr	3e	---	3.50	---	9.50	---
Caroline	---	---	---	---	---	---
Westphalia	---	---	---	---	---	---
MdD2:						
Marr	4e	---	3.00	---	8.50	---
Caroline	---	---	---	---	---	---
Westphalia	---	---	---	---	---	---
MdE2:						
Marr	6e	---	---	---	7.50	---
Galestown	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
Westphalia	---	---	---	---	---	---
Me:						
Meadowville	2e	80.00	3.80	75.00	6.50	---
Mottled soils	---	---	---	---	---	---
Red soils	---	---	---	---	---	---
MkB2:						
Mecklenburg	2e	70.00	3.60	70.00	6.00	---
Elioak	---	---	---	---	---	---
Nason	---	---	---	---	---	---
Zion variant	---	---	---	---	---	---
MkC2:						
Mecklenburg	3e	70.00	3.30	65.00	5.50	---
Appling	---	---	---	---	---	---
Nason	---	---	---	---	---	---
Zion variant	---	---	---	---	---	---
MIC3:						

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
MIC3:						
Mecklenburg	3e	70.00	3.30	65.00	5.50	---
Appling	---	---	---	---	---	---
Nason	---	---	---	---	---	---
Zion variant	---	---	---	---	---	---
NaB:						
Nason	2e	70.00	3.00	70.00	8.00	---
Appling	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---
NaC2:						
Nason	3e	70.00	2.50	65.00	7.50	---
Appling	---	---	---	---	---	---
Manor	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---
NcC3:						
Nason	3e	70.00	2.50	65.00	7.50	---
Appling	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---
OrA:						
Orange	4w	---	2.50	50.00	5.20	---
Elbert variant	---	---	---	---	---	---
Worsham	---	---	---	---	---	---
Meadowville	---	---	---	---	---	---
OrB:						
Orange	3e	---	3.00	50.00	6.50	---
Cullen	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---
OrC2:						
Orange	4e	---	2.00	40.00	4.70	---
Mecklenburg	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
OrC2:						
Zion variant	---	---	---	---	---	---
Po:						
Pooler variant	6w	---	---	---	---	---
Bladen	---	---	---	---	---	---
Tetotum	---	---	---	---	---	---
Ro:						
Roanoke	5w	30.00	2.00	---	5.20	---
Wehadkee	---	---	---	---	---	---
Altavista	---	---	---	---	---	---
Wahee	---	---	---	---	---	---
Sa:						
Sand and gravel pits	---	---	---	---	---	---
ScF:						
Sandy and clayey land	6e	---	---	---	---	---
SfA:						
Sassafras	1	---	3.50	---	---	---
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
SfB:						
Sassafras	2e	---	3.50	---	---	---
Aura	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
SfC2:						
Sassafras	3e	---	3.50	---	---	---
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Galestown	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
SfC2:						
Kempsville	---	---	---	---	---	---
SfD2:						
Sassafras	4e	---	3.00	---	---	---
Aura	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
SfE2:						
Sassafras	7e	---	---	---	---	---
Aura	---	---	---	---	---	---
Galestown	---	---	---	---	---	---
Sn:						
State	2e	80.00	5.10	---	---	8.00
Alluvial land, wet	---	---	---	---	---	---
StD:						
Stony rolling land	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
StE:						
Stony steep land	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
SuC:						
Susquehanna	6e	---	---	---	---	6.50
Aura	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
TeA:						
Tetotum	2w	80.00	3.00	---	---	8.50
Bladen	---	---	---	---	---	---
Fallsington	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
TeA:						
Pooler variant	---	---	---	---	---	---
Bertie	---	---	---	---	---	---
TeB:						
Tetotum	2e	80.00	2.80	---	---	8.00
Bertie	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
TeC2:						
Tetotum	3e	80.00	2.80	---	---	8.00
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
Tm:						
Tidal marsh	7w	---	---	---	---	---
TuA:						
Turbeville	1	80.00	4.00	75.00	---	8.50
Altavista	---	---	---	---	---	---
Bourne	---	---	---	---	---	---
Dogue	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
TuB:						
Turbeville	2e	80.00	4.00	75.00	---	8.50
Bourne	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
TuC2:						
Turbeville	3e	80.00	3.50	75.00	---	8.00
Caroline	---	---	---	---	---	---
Kempsville	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---

W:

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
W:						
Water	---	---	---	---	---	---
Wa:						
Wahee	2w	---	---	70.00	---	10.00
Roanoke	---	---	---	---	---	---
Altavista	---	---	---	---	---	---
Augusta	---	---	---	---	---	---
Dogue	---	---	---	---	---	---
WgD:						
Watt variant	4e	---	---	40.00	5.00	---
Aura	---	---	---	---	---	---
Manor	---	---	---	---	---	---
Nason	---	---	---	---	---	---
WgE:						
Watt variant	7e	---	---	---	3.00	---
Manor	---	---	---	---	---	---
Rock Outcrop	---	---	---	---	---	---
Wh:						
Wehadkee	6w	30.00	---	---	8.50	---
Alluvial land, wet	---	---	---	---	---	---
Cartecay	---	---	---	---	---	---
WIB:						
Westphalia	2e	---	3.50	---	9.50	---
Caroline	---	---	---	---	---	---
Marr	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
WID2:						
Westphalia	3e	---	3.00	---	8.50	---
Caroline	---	---	---	---	---	---
Marr	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
WID2:						
Sassafras	---	---	---	---	---	---
WIE2:						
Westphalia	7e	---	---	---	---	---
Galestown	---	---	---	---	---	---
Marr	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
WmA:						
Wickham	1	80.00	5.50	---	9.50	---
Altavista	---	---	---	---	---	---
WmB:						
Wickham	2e	---	5.50	---	9.50	---
Altavista	---	---	---	---	---	---
WmC2:						
Wickham	3e	80.00	5.00	---	9.00	---
Gravel soil	---	---	---	---	---	---
WnA:						
Wickham variant	1	80.00	5.50	---	9.50	---
Gravelly soil	---	---	---	---	---	---
Loamy sand soil	---	---	---	---	---	---
WnB:						
Wickham variant	2e	80.00	5.50	---	9.50	---
Gravelly soil	---	---	---	---	---	---
Sandy loam soil	---	---	---	---	---	---
WnC:						
Wickham variant	3e	80.00	5.00	---	9.00	---
Gravelly soil	---	---	---	---	---	---
Loamy sand soil	---	---	---	---	---	---
WoA:						
Woodstown	2w	80.00	---	---	8.00	---
Bertie	---	---	---	---	---	---

Table B2. - Land Capability and Yields per Acre of Crops and Pasture - Continued

Stafford and King George Counties, Virginia

Map Symbol and Soil Name	Land Capability	Barley	Grass-Legume Hay	Oats	Pasture	Tall Fescue
		Bu	Tons	Bu	AUM	AUM
WoA:						
Sassafras	---	---	---	---	---	---
WoB:						
Woodstown	2w	80.00	---	---	8.00	---
Bertie	---	---	---	---	---	---
Caroline	---	---	---	---	---	---
Sassafras	---	---	---	---	---	---
Wr:						
Worsham	4w	---	2.70	60.00	7.20	---
Alluvial land, wet	---	---	---	---	---	---
Elbert variant	---	---	---	---	---	---
Colfax	---	---	---	---	---	---
ZIB:						
Zion variant	2e	---	2.50	55.00	6.60	---
Cullen	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---
Orange	---	---	---	---	---	---
ZIC2:						
Zion variant	3e	---	2.00	45.00	5.30	---
Bremo	---	---	---	---	---	---
Cullen	---	---	---	---	---	---
Mecklenburg	---	---	---	---	---	---